

Liste et description des requêtes SQL les plus utilisés pour la Fidélité

Le but de cette documentation est de lister puis de commenter les différentes requêtes SQL qui sont les plus utilisés pour la fidélité.

* Supprimer l'enrollment Wallet d'un client sur Cynod

Etape 1- Désactivation contrainte

```
SET FOREIGN_KEY_CHECKS=0; \\\
```

Etape 2- Suppression du wallet_terminal

```
DELETE wallet_terminal
```

```
FROM wallet_terminal
```

```
INNER JOIN wallet ON wallet.id = wallet_terminal.wallet_id
```

```
WHERE wallet.id in (select id from wallet where wallet_id = "22792544040"); \\\
```

Etape 3- Suppression du wallet_carte

```
DELETE wallet_carte
```

```
FROM wallet_carte
```

```
INNER JOIN wallet ON wallet.id = wallet_carte.wallet_id
```

```
WHERE wallet.wallet_id in (select id from wallet where wallet_id = "22792544040"); \\\
```

Etape 4- Suppression du compte wallet `delete from wallet where wallet_id="22792544040";`

```
SET FOREIGN_KEY_CHECKS=1; \\\
```

From:

<https://cynod.wiki.sensoft-next.com/> - cynod

Permanent link:

<https://cynod.wiki.sensoft-next.com/doku.php?id=tecdoc:requetesqlfidelia&rev=1709814621>

Last update: 2024/03/07 12:30

